

## CLASS BILVALVIA — BIVALVE MOLLUSKS

## ORDER UNIONOIDA

## Unionidae

<i>Actinonaias ellipsiformis</i> (Conrad, 1836)	F	ellipse
<i>Actinonaias ligamentina</i> (Lamarck, 1819)	F	mucket
<i>Actinonaias pectorosa</i> (Conrad, 1834)	F	pheasantshell
<i>Actinonaias pleasi</i> (Marsh, 1891)	F	bleeding-tooth
<i>Alasmidonta arcuata</i> (Lea, 1838)	F	Altamaha arc mussel
<i>Alasmidonta heterodon</i> (Rafinesque, 1831)	F	Cumberland eiktoe
<i>Alasmidonta marginata</i> Say, 1818	F	dwarf wedge mussel
<i>Alasmidonta moorei</i> Athearn, 1964	F	elktoe
<i>Alasmidonta raveneliana</i> (Lea, 1834)	F	Alabama elktoe
<i>Alasmidonta robusta</i> Clarke, 1981	F	Appalachian elktoe
<i>Alasmidonta triangulata</i> (Lea, 1858)	F	Carolina elktoe
<i>Alasmidonta unculata</i> (Say, 1817)	F	triangle floater
<i>Alasmidonta varicosa</i> (Lamarck, 1819)	F	heavy-toothed wedge mussel
<i>Alasmidonta viridis</i> (Rafinesque, 1820)	F	brook floater
<i>Alasmidonta wrightiana</i> (Walker, 1901)	F	slippershell
<i>Amblema neisleri</i> (Lea, 1858)	F	Florida arc mussel
<i>Amblema plicata perplicata</i> (Conrad, 1841)	F	southern three-ridge
<i>Amblema plicata plicata</i> (Say, 1817)	F	roundlake
<i>Anodonta beringiana</i> Middendorff, 1851	F	three-ridge
<i>Anodonta californiensis</i> Lea, 1852	F	Yukon floater
<i>Anodonta cataracta cataracta</i> Say, 1817	F	California floater
<i>Anodonta cataracta fragilis</i> Lamarck, 1819	F	eastern floater
<i>Anodonta cataracta marginata</i> Say, 1817	F	Newfoundland floater
<i>Anodonta cooperiana</i> Lea, 1840	F	Gaspé floater
<i>Anodonta gibbosa</i> Say, 1824	F	barrel floater
<i>Anodonta grandis corpulenta</i> Cooper, 1834	F	inflated floater
<i>Anodonta grandis dakota</i> Frierson, 1910	F	stout floater
<i>Anodonta grandis grandis</i> Say, 1829	F	prairie floater
<i>Anodonta grandis simonsoniana</i> Lea, 1861	F	common floater
<i>Anodonta grandis stewartiana</i> Lea, 1834	F	northern floater
<i>Anodonta imbecillis</i> Say, 1829	F	Louisiana floater
<i>Anodonta implicata</i> Say, 1829	F	paper pondshell
<i>Anodonta kennerlyi</i> Lea, 1860	F	alewife floater
<i>Anodonta nuttalliana</i> Lea, 1838	F	western floater
<i>Anodonta oregonensis</i> Lea, 1838	F	winged floater
<i>Anodonta peggyae</i> Johnson, 1965	F	Oregon floater
<i>Anodonta suborbiculata</i> Say, 1831	F	Florida floater
<i>Anodontoides ferussacianus</i> (Lea, 1834)	F	flat floater
<i>Anodontoides radiatus</i> (Conrad, 1834)	F	cylindrical papershell
<i>Arcidens confragosus</i> (Say, 1829)	F	rayed creekshell
<i>Arkansia wheeleri</i> Ortmann and Walker, 1912	F	rock pocketbook
<i>Cumberlandia monodonta</i> (Say, 1829)	F	Ouchita rock pocketbook
<i>Cyclonaias tuberculata</i> (Rafinesque, 1820)	F	spectacle case
<i>Cyprogenia aberti</i> (Conrad, 1850)	F	purple wartyback
<i>Cyprogenia stegaria</i> (Rafinesque, 1820)	F	western fanshell
<i>Cyrtonaias tampicoensis</i> (Lea, 1838)	F	fanshell
<i>Dromus dromas</i> (Lea, 1834)	F	Tampico pearly mussel
<i>Ellipsaria lineolata</i> (Rafinesque, 1820)	F	dromedary mussel
<i>Elliptio ahenea</i> (Lea, 1843)	F	butterfly
<i>Elliptio angustata</i> (Lea, 1831)	F	southern lance
<i>Elliptio arca</i> (Conrad, 1834)	F	Georgia lance
<i>Elliptio arcata</i> (Conrad, 1834)	F	Alabama spike
<i>Elliptio buckleyi</i> (Lea, 1843)	F	delicate spike
<i>Elliptio complanata</i> (Lightfoot, 1786)	F	Florida shiny spike
<i>Elliptio congaraea</i> (Lea, 1831)	F	eastern elliptio
<i>Elliptio crassidens crassidens</i> (Lamarck, 1819)	F	Carolina stabshell
<i>Elliptio crassidens incrassata</i> (Lea, 1840)	F	elephant ear
<i>Elliptio dariensis</i> (Lea, 1842)	F	southern elephant ear
<i>Elliptio dilatata</i> (Rafinesque, 1820)	F	Georgia elephant ear
<i>Elliptio downiei</i> (Lea, 1859)	F	spike
<i>Elliptio fisheriana</i> (Lea, 1838)	F	Satilla elephant ear
<i>Elliptio folliculata</i> (Lea, 1838)	F	northern lance
	F	pod lance

## SCIENTIFIC NAME

## OCCURRENCE

## COMMON NAME

<i>Elliptio fraternum</i> (Lea, 1852)	F	brother spike
<i>Elliptio napetonesis</i> (Lea, 1852)	F	Altamaha slabshell
<i>Elliptio icterina</i> (Conrad, 1834)	F	variable spike
<i>Elliptio jayensis</i> (Lea, 1838)	F	flat spike
<i>Elliptio lanceolata</i> (Lea, 1823)	F	yellow lance
<i>Elliptio marsupiohesa</i> Fuller, 1972	F	Cape Fear spike
<i>Elliptio mcMichaeli</i> Clench and Turner, 1956	F	fluted elephant ear
<i>Elliptio nigella</i> (Lea, 1852)	F	winged spike
<i>Elliptio producta</i> (Conrad, 1836)	F	Atlantic spike
<i>Elliptio raveneli</i> (Conrad, 1834)	F	Carolina spike
<i>Elliptio roanokensis</i> (Lea, 1836)	F	giant slabshell
<i>Elliptio shepardiana</i> (Lea, 1834)	F	Altamaha lance
<i>Elliptio spinosa</i> (Lea, 1836)	F	Altamaha spiny mussel
<i>Elliptio steinstansana</i> Johnson and Clarke, 1983	F	Tar River spiny mussel
<i>Elliptio waccamawensis</i> (Lea, 1863)	F	Waccamaw spike
<i>Elliptio waltoni</i> (Wright, 1888)	F	Florida lance
<i>Elliptioideus sloatianus</i> (Lea, 1840)	F	Georgia bank climber
<i>Epioblasma arcaeiformis</i> (Lea, 1831)	F	sugarspoon
<i>Epioblasma biemarginata</i> (Lea, 1857)	F	angled riffleshell
<i>Epioblasma brevidens</i> (Lea, 1834)	F	Cumberland combshell
<i>Epioblasma capsaeformis</i> (Lea, 1834)	F	oyster mussel
<i>Epioblasma flexuosa</i> (Rafinesque, 1820)	F	leafshell
<i>Epioblasma florentina</i> (Lea, 1857)	F	yellow-blossom pearly mussel
<i>Epioblasma florentina curtisi</i> (Utterback, 1916)	F	Curtis pearly mussel
<i>Epioblasma florentina walkeri</i> (Wilson and Clark, 1914)	F	tan riffleshell
<i>Epioblasma haysiana</i> (Lea, 1833)	F	acornshell
<i>Epioblasma lenior</i> (Lea, 1843)	F	narrow catspaw
<i>Epioblasma lewisi</i> (Walker, 1910)	F	forkshell
<i>Epioblasma metastriata</i> (Conrad, 1840)	F	Alabama combshell
<i>Epioblasma obliquata</i> (Rafinesque, 1820)	F	catspaw
<i>Epioblasma othcaloogensis</i> (Lea, 1857)	F	Alabama acornshell
<i>Epioblasma penita</i> (Conrad, 1834)	F	southern combshell
<i>Epioblasma personata</i> (Say, 1829)	F	round combshell
<i>Epioblasma prooquinqua</i> (Lea, 1857)	F	Tennessee riffleshell
<i>Epioblasma samposni</i> (Lea, 1861)	F	Wabash riffleshell
<i>Epioblasma stewardsoni</i> (Lea, 1852)	F	Cumberland leafshell
<i>Epioblasma torulosa gubernaculum</i> (Reeve, 1865)	F	green-blossom pearly mussel
<i>Epioblasma torulosa rangiana</i> (Lea, 1839)	F	northern riffleshell
<i>Epioblasma torulosa torulosa</i> (Rafinesque, 1820)	F	tuberled blossom
<i>Epioblasma triquetra</i> (Rafinesque, 1820)	F	snuffbox
<i>Epioblasma turgidula</i> (Lea, 1858)	F	turgid-blossom pearly mussel
<i>Fusconaia askewi</i> (Marsh, 1896)	F	Texas pigtoe
<i>Fusconaia barnesiana</i> (Lea, 1838)	F	Tennessee pigtoe
<i>Fusconaia cerina</i> (Conrad, 1838)	F	southern pigtoe
<i>Fusconaia cor</i> (Conrad, 1834)	F	shiny pigtoe
<i>Fusconaia cuneolus</i> (Lea, 1840)	F	fine-rayed pigtoe
<i>Fusconaia ebena</i> (Lea, 1831)	F	ebonyshell
<i>Fusconaia flava</i> (Rafinesque, 1820)	F	Wabash pigtoe
<i>Fusconaia lananensis</i> (Frierson, 1900)	F	triangle pigtoe
<i>Fusconaia masoni</i> (Conrad, 1834)	F	Atlantic pigtoe
<i>Fusconaia ozarkensis</i> (Call, 1887)	F	Ozark pigtoe
<i>Fusconaia rubidula</i> (Frierson, 1905)	F	round pigtoe
<i>Fusconaia subrotunda lesueuriana</i> (Lea, 1840)	F	Cumberland long-solid
<i>Fusconaia subrotunda subrotunda</i> (Lea, 1831)	F	long-solid
<i>Fusconaia succissa</i> (Lea, 1852)	F	purple pigtoe
<i>Gibula rotundata</i> (Lamarck, 1819)	F	round pearshell
<i>Gonidea angulata</i> (Lea, 1838)	F	Rocky Mountain ridged mussel
<i>Hemistena lata</i> (Rafinesque, 1820)	F	cracking pearly mussel
<i>Lampsilis altilis</i> (Conrad, 1834)	F	fine-lined pocketbook
<i>Lampsilis australis</i> Simpson, 1900	F	southern sandshell
<i>Lampsilis binominata</i> Simpson, 1900	F	lined pocketbook
<i>Lampsilis bracteata</i> (Gould, 1855)	F	Texas fatmucket
<i>Lampsilis cariosa</i> (Say, 1817)	F	yellow lampmussel
<i>Lampsilis dolabraeformis</i> (Lea, 1838)	F	Georgia pocketbook
<i>Lampsilis fasciola</i> Rafinesque, 1820	F	wavy-rayed lampmussel
<i>Lampsilis fullerkerki</i> Johnson, 1984	F	Waccamaw fatmucket
<i>Lampsilis haddletoni</i> Athearn, 1964	F	Haddleton lampmussel
<i>Lampsilis higginsii</i> (Lea, 1857)	F	Higgins eye
<i>Lampsilis orbiculata</i> (Hildreth, 1828)	F	pink mucket

SCIENTIFIC NAME	OCCURRENCE	COMMON NAME
<i>Lampsilis ornata</i> (Conrad, 1835)	F	southern pocketbook
<i>Lampsilis ovata</i> (Say, 1817)	F	pocketbook
<i>Lampsilis perovalis</i> (Conrad, 1834)	F	orange-nacred pocketbook
<i>Lampsilis powelli</i> (Lea, 1852)	F	Arkansas fatmucket
<i>Lampsilis radiata conspicua</i> (Lea, 1872)	F	Carolina fatmucket
<i>Lampsilis radiata hyciana</i> (Lea, 1838)	F	Louisiana fatmucket
<i>Lampsilis radiata radiata</i> (Gmelin, 1791)	F	eastern lampmussel
<i>Lampsilis radiata siliquoides</i> (Barnes, 1823)	F	fatmucket
<i>Lampsilis rafinesqueana</i> Frierson, 1927	F	Neosho mucket
<i>Lampsilis reeviana brevicula</i> (Call, 1887)	F	broken rays
<i>Lampsilis reeviana brittsi</i> Simpson, 1900	F	northern ozark
<i>Lampsilis reeviana reeviana</i> (Lea, 1852)	F	Arkansas ozark
<i>Lampsilis satura</i> (Lea, 1852)	F	Louisiana pocketbook
<i>Lampsilis splendida</i> (Lea, 1838)	F	rayed pink fatmucket
<i>Lampsilis straminea claibornensis</i> (Lea, 1838)	F	southern fatmucket
<i>Lampsilis straminea straminea</i> (Conrad, 1834)	F	rough fatmucket
<i>Lampsilis streckeri</i> Frierson, 1927	F	speckled pocketbook
<i>Lampsilis subangulata</i> (Lea, 1840)	F	pointed pocketbook
<i>Lampsilis teres</i> (Rafinesque, 1820)	F	yellow sandshell
<i>Lampsilis ventricosa</i> (Barnes, 1823)	F	plain pocketbook
<i>Lampsilis virescens</i> (Lea, 1858)	F	Alabama lamp pearlymussel
<i>Lasmigona complanata</i> (Barnes, 1823)	F	white heelsplitter
<i>Lasmigona compressa</i> (Lea, 1829)	F	creek heelsplitter
<i>Lasmigona costata</i> (Rafinesque, 1820)	F	fluted shell
<i>Lasmigona decorata</i> (Lea, 1852)	F	Carolina heelsplitter
<i>Lasmigona holstonia</i> (Lea, 1838)	F	Tennessee heelsplitter
<i>Lasmigona subviridis</i> (Conrad, 1835)	F	green floater
<i>Lemiox rimosus</i> (Rafinesque, 1820)	F	birdwing pearlymussel
<i>Leptodea fragilis</i> (Rafinesque, 1820)	F	fragile papershell
<i>Leptodea leptodon</i> (Rafinesque, 1820)	F	scaleshell
<i>Leptodea ochracea</i> (Say, 1817)	F	tidewater mucket
<i>Lexingtonia dolabelloides</i> (Lea, 1840)	F	slabsided pearlymussel
<i>Lexingtonia subolana</i> (Conrad, 1837)	F	Virginia pigtoe
<i>Ligumia nasuta</i> (Say, 1817)	F	eastern pondmussel
<i>Ligumia recta</i> (Lamarck, 1819)	F	black sandshell
<i>Ligumia subrostrata</i> (Say, 1831)	F	common pondmussel
<i>Margaritifera hembeli</i> (Conrad, 1838)	F	Mississippi pearshell
<i>Margaritifera talcata</i> (Gould, 1850)	F	western pearshell
<i>Margaritifera margaritifera</i> (Linnaeus, 1758)	F	eastern pearshell
<i>Margaritifera marrianae</i> Johnson, 1983	F	Alabama pearshell
<i>Medionidus acutissimus</i> (Lea, 1831)	F	Alabama moccasin
<i>Medionidus conradicus</i> (Lea, 1834)	F	Cumberland moccasin
<i>Medionidus mcglameriae</i> van der Schalie, 1939	F	Tombigbee moccasin
<i>Medionidus parvulus</i> (Lea, 1860)	F	Coosa moccasin
<i>Medionidus penicillatus</i> (Lea, 1857)	F	gulf moccasin
<i>Medionidus walkeri</i> (Wright, 1897)	F	Florida moccasin
<i>Megalonaias boykiniana</i> (Lea, 1840)	F	southern washboard
<i>Megalonaias gigantea</i> (Barnes, 1823)	F	washboard
<i>Obliquaria reflexa</i> Rafinesque, 1820	F	three-horned wartyback
<i>Obovaria jacksoniana</i> (Frierson, 1912)	F	southern hickorynut
<i>Obovaria olivaria</i> (Rafinesque, 1820)	F	hickorynut
<i>Obovaria retusa</i> (Lamarck, 1819)	F	ring pink
<i>Obovaria rotulata</i> (Wright, 1899)	F	round ebonyshell
<i>Obovaria subrotunda</i> (Rafinesque, 1820)	F	round hickorynut
<i>Obovaria unicolor</i> (Lea, 1845)	F	Alabama hickorynut
<i>Pegias fabula</i> (Lea, 1836)	F	little-winged pearlymussel
<i>Plectomerus dombeyanus</i> (Valenciennes, 1833)	F	bank climber
<i>Plethobasus cicatricosus</i> (Say, 1829)	F	white wartyback
<i>Plethobasus cooperianus</i> (Lea, 1834)	F	orange-footed pimpleback
<i>Plethobasus cyphus</i> (Rafinesque, 1820)	F	bullhead
<i>Pleurobema altum</i> (Conrad, 1854)	F	highnut
<i>Pleurobema avellanum</i> Simpson, 1900	F	hazel pigtoe
<i>Pleurobema beadleanum</i> (Lea, 1861)	F	Mississippi pigtoe
<i>Pleurobema bourmanum</i> (Lea, 1840)	F	Scioto pigtoe
<i>Pleurobema chattanogaense</i> (Lea, 1858)	F	painted clubshell
<i>Pleurobema clava</i> (Lamarck, 1819)	F	clubshell
<i>Pleurobema coccineum</i> (Conrad, 1834)	F	round pigtoe
<i>Pleurobema collina</i> (Conrad, 1837)	F	James River spiny mussel
<i>Pleurobema cordatum</i> (Rafinesque, 1820)	F	Ohio River pigtoe
<i>Pleurobema curtum</i> (Lea, 1859)	F	lack clubshell

## SCIENTIFIC NAME

## OCCURRENCE

## COMMON NAME

SCIENTIFIC NAME	OCCURRENCE	COMMON NAME
<i>Pleurobema decisum</i> (Lea, 1831)	F	southern clubshell
<i>Pleurobema flavidulum</i> (Lea, 1831)	F	yellow pigtoe
<i>Pleurobema furvum</i> (Conrad, 1834)	F	dark pigtoe
<i>Pleurobema georgianum</i> (Lea, 1831)	F	southern pigtoe
<i>Pleurobema gibberum</i> (Lea, 1838)	F	Cumberland pigtoe
<i>Pleurobema nanievanum</i> (Lea, 1852)	F	Georgia pigtoe
<i>Pleurobema johannis</i> (Lea, 1859)	F	Alabama pigtoe
<i>Pleurobema marshalli</i> Frierson, 1927	F	southern round pigtoe
<i>Pleurobema meredithi</i> (Lea, 1858)	F	Warrior pigtoe
<i>Pleurobema murrayense</i> (Lea, 1863)	F	Coosa pigtoe
<i>Pleurobema nucleose</i> (Conrad, 1849)	F	long nut
<i>Pleurobema oviforme</i> (Conrad, 1834)	F	Tennessee clubshell
<i>Pleurobema perovatum</i> (Conrad, 1834)	F	ovate clubshell
<i>Pleurobema plenum</i> (Lea, 1840)	F	rough pigtoe
<i>Pleurobema pyramidatum</i> (Lea, 1840)	F	pyramid pigtoe
<i>Pleurobema pyriforme</i> (Lea, 1857)	F	oval pigtoe
<i>Pleurobema riddelli</i> (Lea, 1861)	F	Louisiana pigtoe
<i>Pleurobema rubellum</i> (Conrad, 1834)	F	Cahawba pigtoe
<i>Pleurobema strodeanum</i> (Wright, 1898)	F	fuzzy pigtoe
<i>Pleurobema taitianum</i> (Lea, 1834)	F	southern pink pigtoe
<i>Pleurobema troschelianum</i> (Lea, 1852)	F	Alabama clubshell
<i>Pleurobema verum</i> (Lea, 1860)	F	true pigtoe
<i>Poenaias popei</i> (Lea, 1857)	F	western hornshell
<i>Potamilus alatus</i> (Say, 1817)	F	pink heelsplitter
<i>Potamilus amplichaenus</i> (Frierson, 1898)	F	Texas heelsplitter
<i>Potamilus capax</i> (Green, 1832)	F	fat pocketbook
<i>Potamilus inflatus</i> (Lea, 1831)	F	Alabama heelsplitter
<i>Potamilus laevissima</i> (Lea, 1830)	F	pink papershell
<i>Potamilus purpuratus</i> (Lamarck, 1819)	F	bloofer
<i>Ptychobranhus fasciolaris</i> (Rafinesque, 1820)	F	kidneyshell
<i>Ptychobranhus greeni</i> (Conrad, 1834)	F	triangulate kidneyshell
<i>Ptychobranhus jonesi</i> (van der Schalie, 1934)	F	elongate kidneyshell
<i>Ptychobranhus occidentalis</i> (Conrad, 1836)	F	Ouachita kidneyshell
<i>Ptychobranhus subtentum</i> (Say, 1825)	F	fluted kidneyshell
<i>Quadrula apiculata apiculata</i> (Say, 1829)	F	southern mapleleaf
<i>Quadrula apiculata aspera</i> (Lea, 1831)	F	rough mapleleaf
<i>Quadrula apiculata speciosa</i> (Lea, 1862)	F	Texas mapleleaf
<i>Quadrula asperata</i> (Lea, 1861)	F	Alabama orb
<i>Quadrula aures</i> (Lea, 1859)	F	golden orb
<i>Quadrula cylindrica cylindrica</i> (Say, 1817)	F	rabbitsfoot
<i>Quadrula cylindrica strigillata</i> (Wright, 1898)	F	rough rabbitsfoot
<i>Quadrula fragosa</i> (Conrad, 1835)	F	winged mapleleaf
<i>Quadrula houstonensis</i> (Lea, 1859)	F	smooth pimpleback
<i>Quadrula intermedia</i> (Conrad, 1836)	F	Cumberland monkeyface
<i>Quadrula metanevra</i> (Rafinesque, 1820)	F	monkeyface
<i>Quadrula nodulata</i> (Rafinesque, 1820)	F	wartyback
<i>Quadrula petrina</i> (Gould, 1855)	F	Texas pimpleback
<i>Quadrula pustulosa mortoni</i> (Conrad, 1835)	F	Oachita pimpleback
<i>Quadrula pustulosa pustulosa</i> (Lea, 1831)	F	pimpleback
<i>Quadrula quadrula</i> (Rafinesque, 1820)	F	mapleleaf
<i>Quadrula refulgens</i> (Lea, 1868)	F	purple pimpleback
<i>Quadrula rumohiana</i> (Lea, 1852)	F	smooth-ridged mapleleaf
<i>Quadrula sparsa</i> (Lea, 1841)	F	Appalachian monkeyface
<i>Quadrula stapes</i> (Lea, 1831)	F	stirrupshell
<i>Quadrula tuberosa</i> (Lea, 1840)	F	rough rockshell
<i>Quincuncina burkei</i> Walker, 1922	F	tapered pigtoe
<i>Quincuncina infucata</i> (Conrad, 1834)	F	sculptured pigtoe
<i>Simpsoniias ambigua</i> (Say, 1825)	F	salamander mussel
<i>Strophitus connasaugaensis</i> (Lea, 1857)	F	Alabama creekmussel
<i>Strophitus suovexus</i> (Conrad, 1834)	F	southern creekmussel
<i>Strophitus undulatus</i> (Say, 1817)	F	squawfoot
<i>Strophitus undulatus tennesseensis</i> Frierson, 1927	F	Tennessee creekmussel
<i>Toxolasma corvuculus</i> (Lea, 1868)	F	southern purple lilliput
<i>Toxolasma cylindrellus</i> (Lea, 1868)	F	pale lilliput
<i>Toxolasma lividus</i> (Rafinesque, 1831)	F	purple lilliput
<i>Toxolasma mearnsi</i> (Simpson, 1900)	F	western lilliput
<i>Toxolasma parvus</i> (Barnes, 1823)	F	lilliput
<i>Toxolasma paulus</i> (Lea, 1840)	F	iridescent lilliput
<i>Toxolasma pullus</i> (Conrad, 1838)	F	Savannah lilliput
<i>Toxolasma texasensis</i> (Lea, 1857)	F	Texas lilliput

SCIENTIFIC NAME	OCCURRENCE	COMMON NAME
<u>Tritogonia verrucosa</u> (Rafinesque, 1820)	F	buckhorn
<u>Truncilla cognata</u> (Lea, 1860)	F	Mexican fawnsfoot
<u>Truncilla gonaciformis</u> (Lea, 1828)	F	fawnsfoot
<u>Truncilla macrodon</u> (Lea, 1859)	F	Texas fawnsfoot
<u>Truncilla truncata</u> Rafinesque, 1820	F	deertoe
<u>Unio merus caroliniana</u> (Bosc, 1801)	F	Florida pondhorn
<u>Unio merus declivis</u> (Say, 1831)	F	tapered pondhorn
<u>Unio merus excultus</u> (Conrad, 1838)	F	polished pondhorn
<u>Unio merus obesus</u> (Lea, 1831)	F	southern pondhorn
<u>Unio merus tetraasmus</u> (Say, 1831)	F	pondhorn
<u>Villosa amygdala</u> (Lea, 1843)	F	Florida rainbow
<u>Villosa arkansasensis</u> (Lea, 1862)	F	Ouachita creekshell
<u>Villosa choctawensis</u> Athearn, 1964	F	Choctaw creekshell
<u>Villosa constricta</u> (Conrad, 1838)	F	notched rainbow
<u>Villosa fabalis</u> (Lea, 1831)	F	bean-villosa
<u>Villosa iris</u> (Lea, 1830)	F	rainbow
<u>Villosa lienosa</u> (Conrad, 1834)	F	little spectacle case
<u>Villosa nebulosa</u> (Conrad, 1834)	F	Alabama rainbow
<u>Villosa ogeecheensis</u> (Conrad, 1849)	F	Georgia creekshell
<u>Villosa ortmanni</u> (Walker, 1925)	F	Kentucky creekshell
<u>Villosa perpurpurea</u> (Lea, 1861)	F	purple bean
<u>Villosa subangulata</u> (Lea, 1840)	F	shiny rayed creekshell
<u>Villosa taeniata punctata</u> (Lea, 1865)	F	creek paintedshell
<u>Villosa taeniata taeniata</u> (Conrad, 1834)	F	painted creekshell
<u>Villosa trabilis</u> (Conrad, 1834)	F	Cumberland bean mussel
<u>Villosa vanuxemensis</u> (Lea, 1838)	F	mountain creekshell
<u>Villosa vaughaniana</u> (Lea, 1838)	F	Carolina creekshell
<u>Villosa vibex</u> (Conrad, 1834)	F	southern rainbow
<u>Villosa villosa</u> (Wright, 1898)	F	downy rainbow

#### ORDER VENEROIDA

##### Corbiculidae

Corbicula fluminea (Muller, 1774) / ..... F ..... Asiatic\* clam

##### Pisidiidae

<u>Eupera cubensis</u> (Prime, 1865)	F	mottled fingernailclam
<u>Musculium lacustre</u> (Muller, 1774)	F	lake fingernailclam
<u>Musculium partumeium</u> (Say, 1822)	F	swamp fingernailclam
<u>Musculium securis</u> (Prime, 1852)	F	pond fingernailclam
<u>Musculium transversum</u> (Say, 1829)	F	long fingernailclam
<u>Pisidium adamsi</u> Stimpson, 1851	F	Adam peaclam
<u>Pisidium amnicum</u> (Muller, 1774) /	F	greater European peaclam
<u>Pisidium casertanum</u> (Poli, 1791)	F	ubiquitous peaclam
<u>Pisidium compressum</u> Prime, 1852	F	ridged-beak peaclam
<u>Pisidium conventus</u> Clessin, 1877	F	Arctic-Alpine peaclam
<u>Pisidium cruciatum</u> Sterki, 1895	F	ornamented peaclam
<u>Pisidium dubium</u> (Say, 1816)	F	greater eastern peaclam
<u>Pisidium equilaterale</u> Prime, 1852	F	round peaclam
<u>Pisidium fallax</u> Sterki, 1896	F	river peaclam
<u>Pisidium ferrugineum</u> Prime, 1852	F	rusty peaclam
<u>Pisidium henslowianum</u> (Sheppard, 1825) /	F	Henslow peaclam
<u>Pisidium idahoense</u> Roper, 1890	F	giant northern peaclam
<u>Pisidium insigne</u> Gabb, 1868	F	tiny peaclam
<u>Pisidium lilljeborgi</u> (Esmark and Hoyer, 1886)	F	Lilljeborg peaclam
<u>Pisidium milium</u> Heid, 1836	F	quadrangular pillclam
<u>Pisidium nitidum</u> Jenyns, 1832	F	shiny peaclam
<u>Pisidium punctatum</u> Sterki, 1895	F	perforated peaclam
<u>Pisidium punctiferum</u> (Guppy, 1867)	F	striate peaclam
<u>Pisidium rotundatum</u> Prime, 1852	F	fat peaclam
<u>Pisidium subtruncatum</u> Malm, 1853	F	short-ended peaclam
<u>Pisidium supinum</u> Schmidt, 1850 /	F	humpbacked peaclam

/ / Introduced species.

\* "Asiatic" has been called to the committee's attention as often considered to be derogatory and should be changed to "Asian clam." Please comment.

SCIENTIFIC NAME	OCCURRENCE	COMMON NAME
<u>Psidium ultramontanum</u> Prime, 1865	F	montane peaclam
<u>Psidium variable</u> Prime, 1852	F	triangular peaclam
<u>Psidium ventricosum</u> Prime, 1851	F	globular peaclam
<u>Psidium waikeri</u> Sterki, 1895	F	Walker peaclam
<u>Sphaerium corneum</u> (Linnaeus, 1758) I/	F	European fingernailclam
<u>Sphaerium fabae</u> (Prime, 1852)	F	river fingernailclam
<u>Sphaerium nitidum</u> Westerlund, 1876	F	Arctic-Alpine fingernailclam
<u>Sphaerium occidentale</u> ("Prime" Lewis, 1856)	F	Herrington fingernailclam
<u>Sphaerium patella</u> (Gould, 1850)	F	Rocky Mountain fingernailclam
<u>Sphaerium rhomboideum</u> (Say, 1822)	F	rhomboid fingernailclam
<u>Sphaerium simile</u> (Say, 1816)	F	grooved fingernailclam
<u>Sphaerium striatinum</u> (Lamarck, 1818)	F	striated fingernailclam